










# B&B FIJACIONES

**TABLA DE PESOS DE BARRAS DE ACEROS** (Medidas en milímetros peso en kilogramos por metro)

pul.	mm				pul.	mm				pul.	mm				
3/16	4.76	0.14	0.20	0.15	2	5/16	58.74	21.25	27.09	23.48	6	3/4	171.45	181.07	230.75
1/4	6.35	0.25	0.32	0.27	2	3/8	60.33	22.42	28.57	24.75	7		177.80	194.74	248.16
5/16	7.94	0.39	0.50	0.43	2	7/16	61.91	23.61	30.09	26.06	7	1/4	184.15	208.89	266.20
3/8	9.53	0.56	0.72	0.62	2	1/2	63.50	24.84	31.65	27.42	7	1/2	190.50	223.55	284.88
7/16	11.11	0.76	0.97	0.84	2	9/16	65.09	26.10	33.26	28.81	7	3/4	196.85	238.67	304.19
1/2	12.70	0.99	1.23	1.10	2	5/8	66.68	27.39	34.90	30.23	8		203.20	254.35	324.13
9/16	14.29	1.26	1.61	1.39	2	11/16	68.26	28.70	36.58	31.68	8	1/4	209.55	270.49	344.70
5/8	15.88	1.56	1.99	1.72	2	3/4	69.85	30.06	38.30	33.18	8	1/2	215.90	287.14	365.91
11/16	17.48	1.88	2.40	2.07	2	13/16	71.44	31.44	40.06	34.71	8	3/4	222.25	304.27	387.75
3/4	19.05	2.24	2.85	2.47	2	7/8	73.03	32.85	41.87	36.27	9		228.60	322.91	410.22
13/16	20.64	2.62	3.35	2.90	2	15/16	74.61	34.30	43.70	37.86	9	1/4	234.95	340.04	433.33
7/8	22.23	3.04	3.88	3.36	3		76.20	35.77	45.58	39.48	9	1/2	241.30	358.67	457.07
15/16	23.81	3.49	4.45	3.86	3	1/8	79.38	38.82	49.46	42.85	9	3/4	247.65	377.80	481.44
1	25.40	3.97	5.07	4.39	3	1/4	82.55	41.98	53.49	46.34	10		254.00	397.42	506.45
1 1/16	26.99	4.49	5.72	4.95	3	3/8	85.73	45.27	57.70	49.98	10	1/4	260.35	417.54	532.09
1 1/8	28.58	5.03	6.42	5.55	3	1/2	88.90	48.68	62.04	53.74	10	1/2	286.70	438.15	558.36
1 3/16	30.16	5.60	7.14	6.19	3	5/8	92.08	52.23	66.56	57.66	10	3/4	273.05	459.27	585.27
1 1/4	31.79	6.21	7.91	6.86	3	3/4	95.25	55.89	71.22	61.69	11		279.40	480.88	612.81
5/16	33.34	6.85	8.73	7.56	3	7/8	98.43	59.68	76.06	65.88	11	1/4	285.79	502.98	640.98
3/8	34.93	7.52	9.58	8.29	4		101.60	63.59	81.03		11	1/2	292.10	525.59	669.78
7/16	36.51	8.21	10.48	9.06	4	1/8	104.78	67.83	86.18		11	3/4	298.45	548.69	699.22
1/2	38.10	8.94	11.40	9.87	4	1/4	107.95	71.78	91.48		12		304.80	572.28	729.29
9/16	39.69	9.70	12.37	10.71	4	3/8	111.13	76.08	96.95		12	1/2	317.50	620.97	791.33
5/8	41.28	10.50	13.38	11.59	4	1/2	114.30	80.48	102.56		13		330.20	671.64	855.90
1 1/16	42.86	11.32	14.42	12.49	4	5/8	117.48	85.02	108.34		13	1/2	342.90	724.30	923.01
1 3/4	44.45	12.18	15.51	13.44	4	3/4	120.65	89.66	114.27		14		355.60	778.94	992.64
1 13/16	46.04	13.06	16.64	14.41	4	7/8	123.83	94.46	120.37		14	1/2	368.30	835.57	1064.81
1 7/8	47.63	13.98	17.81	15.43	5		127.00	99.36	126.61		15		381.00	894.19	1109.51
1 15/16	49.21	14.92	19.01	16.47	5	1/4	133.35	109.54	139.59		15	1/2	393.70	954.80	1216.75
2	50.80	15.90	20.26	17.55	5	1/2	139.70	120.22	153.20		16		406.40	1017.39	1296.51
2 1/16	52.39	16.91	21.55	18.66	5	3/4	146.05	131.40	167.45		17		431.80	1148.54	1463.64
2 1/8	53.98	17.95	22.87	19.81	6		152.40	143.07	182.32		18		457.20	1287.64	1664.90
2 3/16	55.56	19.02	24.23	20.99	6	1/4	158.75	155.24	197.83		19		482.60	1434.68	1828.29
2 1/4	57.15	20.12	25.64	22.21	6	1/2	165.10	167.91	213.98		20		508.00	1589.67	2025.80

## GARANTIAS DE SUPERFICIE BARRAS LAMINADAS

Uso	Profundidad Máxima de Defecto
APTO MECANIZADO	0,5 + 0.03 x Diám. (mm)
APTO FORJA	0,2 + 0.005 x Diám. (mm)

## DESCARBURACION

## BARRAS LAMINADAS

Producto	Profundidad Máxima
APTO MECANIZADO y	0,2 + 0.005 x Diám. (mm)
APTO FORJA	